

NICE STRETCH

+NEWS
SEPTEMBER 2026



inspire safety

ARCA

STRETCH EQUIPMENTS

NICE STRETCH professional fitting



437350GNE grey/black
Fluorescent details in green

437351VNE green/black
Fluorescent details in orange

**NICE STRETCH NERI-MARCA TROUSERS
MULTI-POCKET**

245 g/m². Stretch fabric + 4WS

- High-waisted back waistband.
- Hip adjustment by side elastics.
- Four front pockets, two back pockets, one of them with a flap, one double leg pocket with a flap.
- 4WS fabric in areas that require extra flexibility.

COMPOSITION:

245 g/m² Stretch fabric


Contrast fabric: 86 % nylon 14 % elastane 240 g/m²

Pockets: Lining: 80 % polyester 20 % cotton 110 g/m²

Units box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**



STRETCH



Box Nice Stretch.

Sustainable packaging for trousers and shorts.





471138GNE grey/black
Fluorescent details in green

471139VNE green/black
Fluorescent details in orange

NICE STRETCH SHORT SLEEVE T-SHIRT
NERI-MARCA
145 g/m² Cotton

- Lower side opening on both sides.
- Reflective details on the back.

COMPOSITION: 100% Cotton

Units box: **25**

Min Order: **1 unit**

SIZES: **S to 5XL**



STRETCH EQUIPMENTS

NICE STRETCH professional fitting



SOFTSHELL



437355NE black
Fluorescent details in green

TROUSERS NICE STRETCH SOFTSHELL
NERI-MARCA
MULTI-POCKETS

Fabric stretch 250 g/m².

- High back waistband, 5 belt loops and side elastic.
- Includes a belt.
- Hammer holder on the back right.
- Contrasting seams at the knees, both front and back.
- 4WS FABRIC in areas requiring extra flexibility.

COMPOSITION:

Softshell fabric 95% polyester, 5% elastane, 250 g/m².
Knee and leg knit: 92% nylon, 8% elastane, 275 g/m².

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**



SOFTSHELL

422220GNE grey/black
Fluorescent details in green

422221VNE green/black
Fluorescent details in orange

VEST NICE STRETCH SOFTSHELL
NERI-MARCA
Fabric Softshell 310 g/m².

- TPU membrane.
- Water resistance: WR 3000.
- Rain resistance: MVP 800.
- Reflective inserts on shoulders.
- Collar with soft fleece lining and stowaway hood.

COMPOSITION:

Softshell fabric with TPU membrane:
94% polyester, 6% elastane.

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**



Box Nice Stretch.

Sustainable packaging for trousers and shorts.



SOFTSHELL

STRETCH



SOFTSHELL

455143GNE grey/black
Fluorescent details in green

455144VNE green/black
Fluorescent details in orange

JACKET NICE STRETCH SOFTSHELL

NERI-MARCA

Fabric Softshell 310 g/m².

- TPU membrane.
- Water resistance: WR 3000.
- Rain resistance: MVP 800.
- Reflective inserts on the shoulders.
- Collar with soft fleece lining and packable hood.

COMPOSITION:

TPU membrane softshell fabric:
94% polyester, 6% elastane.

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**

EN ISO 13688

EN 14058



STRETCH



SOFTSHELL



STRETCH EQUIPMENTS

NICE STRETCH professional fitting



436324FYA HV/navy blue

**TROUSERS NICE STRETCH HV
NERI-MARCA**

MULTI-POCKETS

Fabric stretch 245 g/m².

- High-waisted rear waistband.
- Hip fit with side elastics.
- Four front pockets, two back, one of them with flap, one on the double leg with flap.
- Hammer loop on the right side.

COMPOSITION:

Fabric HV: 54% cotton, 43% polyester, 3% elastane.

Contrast fabric: 60% cotton, 37% polyester, 3% elastane.

Knee reinforcement fabric:

86% nylon, 14% elastane.

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**

EN ISO 13688

EN ISO 20471



Box Nice Stretch.

Sustainable packaging for trousers and shorts.

STRETCH






SOFTSHELL

STRETCH

423118YFA HV/navy blue

JACKET NICE STRETCH SOFTSHELL HV

NERI-MARCA

Fabric Softshell 310 g/m².

- TPU membrane.
- Water resistance: WR 3000.
- Rain resistance: MVP 800.
- Reflective inserts on the shoulders.
- Collar with soft fleece lining and packable hood.

COMPOSITION:

High-visibility softshell fabric with TPU membrane:
94% polyester, 6% elastane.

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 5XL**

EN ISO 13688

EN 14058

EN ISO 20471



KITS STRETCH NERI-MARCA professional fitting



S3L

METAL
Free



510783NEV black/green

**FOOTWEAR KNITTED RUSH-999
NERI-MARCA**

S3L / FO / SR / ESD

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- PU/PU sole with cushioning insert.
- Molded PU FOAM sole
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: **5**

Min Order: **1 pair**

SIZES: **36 to 47**





S3L
METAL
Free

Water-repellent

Breathable



510784NEN black/green

FOOTWEAR KNITTED RUSH-999
NERI-MARCA

S3L / FO / SR / ESD

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- PU/PU sole with cushioning insert.
- Molded PU FOAM sole
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: **5**

Min Order: **1 pair**

SIZES: **36 to 47**



1688ZFZ5GYF FLEXUM Z5

S3S / WPA / FO / SR / E / A

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- Dual density polyurethane sole DDPU
- Insole Moulded PU Foam
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47



1688ZFZ5RGYF FLEXUM Z5R

S3S / WPA / FO / SR / E / A

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- Dual density polyurethane sole DDPU
- Insole Moulded PU Foam
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47



1688ZFZ6GNF FLEXUM Z6

S3S / WPA / FO / SR / E / A

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- Dual density polyurethane sole DDPU
- Insole Moulded PU Foam
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47



1688ZFZ7GR FLEXUM Z7

S3S / WPA / FO / SR / E / A

- Knit with water-repellent treatment
- Textile anti-perforation sheet
- Dual density polyurethane sole DDPU
- Insole Moulded PU Foam
- Safety toe: Fibreglass

Safety toe cap and anti-perforation insole, ESD electrostatic discharge, with very good flexural and torsion behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47

S3L

**METAL
Free**



Lightness



Water-repellent



1688ZLENE CENTURIÓN

S3L / WPA / FO / SR / E / A

- Water-repellent breathable microfiber suede
- Anti-perforation insole textile
- Insole Moulded PU Foam
- PU/PU sole. E-TPU insert in heel
- Safety toe: Fibreglass

Logistics, transport, delivery, warehousing, work in wet areas, automotive and manufacturing, industry in general.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47

S3L

**METAL
Free**



Lightness



Water-repellent



1688BLENE MINERVA

S3L / WPA / FO / SR / E / A

- Water-repellent breathable microfiber suede
- Anti-perforation insole textile
- Insole Moulded PU Foam
- PU/PU sole. E-TPU insert in heel
- Safety toe: Fibreglass

Logistics, transport, delivery, warehousing, work in wet areas, automotive and manufacturing, industry in general.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47

S3S



Water-repellent



Breathable



1688ZPR1NEA SPORT P1

S3S / WPA / FO / SR / E / A

- Technical PU. High tenacity polyester coated with PU
- Compressed textile anti-perforation insole
- Dual density polyurethane sole DDPU
- Moulded PU foam insole
- Safety toe cap: fiberglass with reinforced embossed microfiber toe cap and nubuck-type microfiber heel

General use where safety footwear is needed (safety toe cap and anti-perforation insole), ESD electrostatic discharge, with very good flexural and torsional behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47

S3S



Water-repellent



Breathable



1688BPR1NEA SPORT BP1

S3S / WPA / FO / SR / E / A

- Technical PU. High tenacity polyester coated with PU
- Compressed textile anti-perforation insole
- Dual density polyurethane sole DDPU
- Moulded PU foam insole
- Safety toe cap: fiberglass with reinforced embossed microfiber toe cap and nubuck-type microfiber heel

General use where safety footwear is needed (safety toe cap and anti-perforation insole), ESD electrostatic discharge, with very good flexural and torsional behaviour, lightweight and comfortable.

EN ISO 20345 SAFETY FOOTWEAR

EN 61340-5-1 ESD FOOTWEAR (electrostatic discharge)

Units Box: 10

Min Order: 1 pair

SIZES: 36 to 47

NEW



588PSSG grey

588PSSAM navy blue

PRO SERIES MULTI-POCKET STRETCH TROUSERS

245g stretch fabric

Composition and gsm:

58% polyester / 39% cotton / 3% elastane

Gsm: 245 g/m²

- Reinforcement on knee pads with fabric anti-abrasion.
- Hip adjustment with internal side elastics and with 6 extra wide belt loops.

Units box: **20**

Min Order: **1 unit**

SIZES: **34 to 64**



588PPSGNE grey/black

588PPSDAMNE navy blue/black

PRO SERIES MULTI-POCKET STRETCH TROUSERS

245g stretch fabric

Composition and gsm:

58% polyester / 39% cotton / 3% elastane

Gsm: 245 g/m²

- Six pockets and adjustable waistband with elastic bands.
- Reinforced seat and knees with anti-abrasion polyamide fabric, designed to accommodate a flexible knee pad.

Units box: **20**

Min Order: **1 unit**

SIZES: **38/40 to 62/64**



588PSTRAE electric blue

588PSTRG grey

588PSTRAM navy blue

588PSTRNE black

PRO SERIES MULTI-POCKET STRETCH TROUSERS

220g stretch fabric

Composition and gsm:

98% cotton / 2% elastane

Gsm: 220 g/m²

- Six pockets: two diagonal hip pockets, two cargo-type leg pockets and two rear pockets with flap closure.
- Hip adjustment with internal side elastics and with 7 extra wide belt loops.
- Knees reinforced with Oxford Nylon fabric.

Units box: **20**

Min Order: **1 unit**

SIZES: **34 to 64**



STRETCH

588PBSNE black

588PBSAM navy blue

588PBSG grey

CASUAL MULTI-POCKET STRETCH TROUSERS

240g stretch fabric

Composition and gsm:

98% cotton / 2% elastane

Gsm: 240 g/m²

- Six pockets, two French-style on the hips, two patch cargo-style on the legs and two patch pockets on the back.

Units box: **20**

Min Order: **1 unit**

SIZES: **34 to 62**



NEW OPALO

288CSHUG grey

288CSHUAM navy blue

SOFTSHELL HYBRID JACKET

Chest 285g/m² /Sleeves 290g/m²



IN SOFTSHELL FABRIC	
Impermeability	8.000 mm
Breathability	300 mvp

COMPOSITION:

Chest and back

Outer layer: Pongee 100% polyester 240T

Middle layer (membrane): 100% TPU thermo-adhered plastic

Padding: Nonwoven fabric wadding 100% polyester

Inner layer: 100% polyester 240T pongee

Sleeves and side panels

Outer layer: 94% polyester 6% elastane

Middle layer (membrane): 100% TPU thermo-adhered plastic

Inner layer: 100% polyester brushed fleece

- Feather-type padding on the front, greater thermal protection.
- Interior in collar and sleeves in brushed fleece fabric.
- Raglan sleeves for ease of movement.

Units Box: **10**

Min Order: **1 unit**

SIZES: **S to 3XL**



NILO

288CSGMG grey

288CSGMAM navy blue

TRIPLE LAYER SOFTSHELL JACKET 290g/m²



COMPOSITION:

Outer layer: 94% polyester 6% elastane

Middle layer (membrane): 100% TPU thermo-adhered plastic

Inner layer: 100% polyester brushed fleece

- Straight fit pattern in chest to facilitate mobility.
- Inner neck seam with orange contrast fabric band to prevent chafing against the skin.
- Double stitching at seams for added strength.
- 3 exterior pockets with zips for easy opening.

Units Box: **20**

Min Order: **1 unit**

SIZES: **S to 3XL**



Segmented Bands

BRIGHT

TWO-TONE SHORT SLEEVE POLO SHIRT
with segmented bands.

100% Polyester 150 g/m²

1288PAVCSYFA yellow-navy blue

1288PAVCSNFA orange-navy blue

JINX

45% Polyester / 55% Cotton 150 g/m²

1288PAVCPYFA yellow-navy blue

1288PAVCPNFA orange-navy blue

EN ISO 13688

Cat.II

Units Box: 50

Min Order: 1 unit

SIZES: S to 5XL



EN ISO 20471

DIXIE

SHORT SLEEVE TWO-COLOUR
T-SHIRT with segmented bands.

100% Polyester 150 g/m²

1288TSAVCSYFA yellow-blue navy

1288TSAVCSNFA orange-blue navy

PIXIE

45% Polyester / 55% Cotton 150 g/m²

1288TSAVCPYFA yellow-blue navy

1288TSAVCPNFA orange-blue navy

EN ISO 13688

Cat.II

Units Box: 50

Min Order: 1 unit

SIZES: S to 5XL



EN ISO 20471

ONYX

LONG SLEEVE TWO-COLOUR POLO
SHIRT with segmented bands.

100% Polyester 150 g/m²

1288PAVLSYFA yellow-navy blue

1288PAVLSNFA orange-navy blue

XARA

45% Polyester / 55% Cotton 150 g/m²

1288PAVLPHYFA yellow-navy blue

1288PAVLPHNFA orange-navy blue

EN ISO 13688

Cat.II

Units Box: 50

Min Order: 1 unit

SIZES: S to 5XL



EN ISO 20471

STRETCH



SIGNUM

588PSTFYFA yellow/navy blue

588PSTFNFA orange/navy blue

HIGH VISIBILITY TWO-TONE MULTI-POCKET TROUSERS
Polyester/cotton 240 g/m²

- Hip adjustment with elastic back sides and 5 loops.
- 6 pockets: 2 French-style hip pockets, 2 cargo-style leg pockets with contrasting fluorescent fabric gusset and 2 rear flap pockets.

COMPOSITION:

63% Polyester, 34% cotton and 3% elastane

EN ISO 13688

Cat.II

Units Box: 20

Min Order: 1 unit

SIZES: 36 to 68



EN ISO 20471

Raincoat



Husky inside

Convertible vest



SOFTSHELL

Vest function:
Removable sleeves
with zips.



EN ISO 20471

LINUX

288PFMIXYFA yellow/navy blue

288PFMIXNFA orange/navy blue

TWO-TONE HIGH VISIBILITY PARKA

Heat-sealed seams 320 g/m²

- Adjustable hood with straps.
- 2 front flap pockets and 1 inside pocket.

COMPOSITION:

Exterior layer: 100% Polyester Oxford 300D/PU 170gr/m². Max x 5.

Wadding: 100% Polyester (wadding) - 110 gr/m².

Interior layer: 100% Polyester - 50 gr/m².

EN ISO 13688

Cat.II

Units Box: **10**

Min Order: **1 unit**

SIZES: S to 3XL



EN ISO 20471



EN 343
yellow



EN 343
orange

AMBAR

288CSFYAYFA yellow/navy blue

288CSFYANFA orange/navy blue

HIGH VISIBILITY TWO-TONE SOFTSHELL JACKET

Detachable sleeves 310 g/m²

- Closure with invisible "Waterproof" spiral polyester zip.

COMPOSITION:

Exterior layer: 100% Polyester

Intermediate layer: 100% Polyurethane (TPU).

Interior layer: 100% Brushed Polyester.

Total weight **SIZE L: 750g**

EN ISO 13688

Cat.II

Units Box: **20**

Min Order: **1 unit**

SIZES: S to 3XL



EN ISO 20471

XRAY

288PKFMIXYFA yellow/navy blue

288PKFMIXNFA orange/navy blue

288PKFMIXYFV yellow/green

TWO-TONE HIGH VISIBILITY TRIPLE USE PARKA



EN ISO 20471

PARKA



EN ISO 20471

HUSKY



EN ISO 20471

VEST



EN 343

Common technical features

Heat-sealed seams 560 g/m²

RAINCOAT EXTERIOR:

- Adjustable hood. Attached to husky using zips.
- 2 front pockets.

HUSKY:

2 exterior pockets / 1 interior. Convertible into a vest by removing sleeves.

COMPOSITION:

Exterior layer: 100% Polyester Oxford 300D/ PU - 180 g/m². Max. x25.

Wadding: 100% Polyester (wadding) - 150 g/m².

Interior layer: 65% Polyester. 35% cotton - 50 g/m².

EN ISO 13688

Cat.II

Units Box: **10**

Min Order: **1 unit**

SIZES: S to 3XL





988CIRAM navy blue

FLAME-RESISTANT AND ANTISTATIC JACKET WITH REFLECTIVE STRIPS

Treated cotton 260g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
- Cotton fabric treated with resistance of flame-retardant properties for 50 washes.
- Pictograms and certified standards, engraved on the sleeve for occupational risks in the metallurgical, petrochemical and naval industries.

COMPOSITION:

98% treated cotton / 2% polyamide. Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 20

Min Order: 1 unit

SIZES: 48/50 to 68/70



EN 61482-2
(APC1)



EN ISO 11612
(A1-A2,B1,C1,F1)



EN 1149-5



EN ISO 11611
(A1-A2, CLASS 2)



EN 17353
Type B3



988PIRAM navy blue

FLAME-RETARDANT AND ANTISTATIC TROUSERS WITH REFLECTIVE STRIPS

Treated cotton 260g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
- Cotton fabric treated with resistance of flame-retardant properties for 50 washes.
- Pictograms and certified standards, engraved on the back pocket flap for occupational risk prevention in the metallurgical, petrochemical and naval industries.

COMPOSITION:

98% treated cotton / 2% polyamide. Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 20

Min Order: 1 unit

SIZES: 38/40 to 62/64



EN 61482-2
(APC1)



EN ISO 11612
(A1-A2,B1,C1,F1)



EN 1149-5



EN ISO 11611
(A1-A2, CLASS 2)



EN 17353
Type B2



988CAIRAM navy blue

FLAME-RETARDANT AND ANTISTATIC SHIRT WITH REFLECTIVE STRIPS

Treated cotton 220g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
- Cotton fabric treated with resistance of flame-retardant properties for 50 washes.
- Pictograms and certified standards, engraved on the sleeve. Occupational risk prevention in the metallurgical, petrochemical and naval industries.

COMPOSITION:

98% treated cotton / 2% polyamide. Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 25

Min Order: 1 unit

SIZES: 37/38 to 51/52



EN 61482-2
(APC1)



EN ISO 11612
(A1-A2,B1,C1,F1)



EN 1149-5



EN ISO 11611
(A1-A2, CLASS 1)



EN 17353
Type B3



988CIAVAM navy blue

FLAME-RESISTANT AND ANTISTATIC JACKET WITH REFLECTIVE STRIPS

Treated cotton 260g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
- Shirt collar with Velcro. Elastic adjustments at waist and cuffs.
- Front closure with metal zipper and front flap with 4 Velcro points.
- 50mm mixed material reflective tapes.
- Pictograms and certified standards, engraved on the sleeve for occupational risks in the metallurgical, petrochemical and naval industries.
- COMPOSITION: 98% treated cotton / 2% polyamide. Seams with meta-aramid thread.


EN ISO 13688

Cat.III

Units Box: 20

Min Order: 1 unit

SIZES: 48/50 to 68/70



988PIAVAM navy blue

FLAME-RESISTANT AND ANTISTATIC TROUSERS WITH REFLECTIVE STRIPS

Treated cotton 260g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
 - Cotton fabric treated with resistance of flame-retardant properties for 50 washes.
 - Pictograms and certified standards, engraved on the back pocket flap for occupational risks in the metallurgical, petrochemical and naval industries.
- COMPOSITION:
98% treated cotton / 2% polyamide. Seams with meta-aramid thread.


EN ISO 13688

Cat.III

Units Box: 20

Min Order: 1 unit

SIZES: 38/40 to 62/64



988CAIAVAM navy blue

FLAME-RESISTANT AND ANTISTATIC SHIRT WITH REFLECTIVE STRIPS

Treated cotton 220g/m²

- Protection against heat and flames, welding and related processes and thermal effects of an electric arc.
 - Elastic cuff adjustment. Front closure with metal snaps and flap.
 - 50mm mixed material reflective tapes.
 - Pictograms and certified standards, engraved on the sleeve for occupational risks in the metallurgical, petrochemical and naval industries.
- COMPOSITION: 98% treated cotton / 2% polyamide. Seams with meta-aramid thread.


EN ISO 13688

Cat.III

Units Box: 25

Min Order: 1 unit

SIZES: 37/38 to 51/52



**988POFIYFAM yellow / navy blue****FLAME-RESISTANT/ANTI-STATIC POLO SHIRT. HIGH VISIBILITY**Fabric with permanent properties 200 g/m²

- Elastic adjustments at waist and cuffs. Flame retardant retroreflective bands.
 - Pictograms and certified standards, engraved by heat transfer in retroreflective silver.
 - Fabric properties resistant for 25 washes.
- COMPOSITION:** 60% Modacrylic, 38% cotton and 2% polyamide.
Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 20

Min Order: 1 unit

SIZES: S to 4XL

NEW

EN 61482-2
(APC1)EN ISO 11612
(A1+A2,B1,C1,F1)

EN 1149-5



EN ISO 20471 2

**988POIAM navy blue****FLAME-RESISTANT/ANTISTATIC POLO SHIRT**Fabric with permanent properties 200 g/m²

- Shirt collar. Very lightweight fabric that increases comfort and reduces thermal stress.
 - Pictograms and certified standards, engraved by heat transfer in retroreflective silver.
- COMPOSITION:** 60% Modacrylic, 38% cotton and 2% polyamide.
Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 50

Min Order: 1 unit

SIZES: XS to 5XL

NEW

EN 61482-2
(APC1)EN ISO 11612
(A1+A2,B1,C1,F1)

EN 1149-5

**988POIRSAM navy blue****FLAME RETARDANT/ANTISTATIC POLO SHIRT WITH SEGMENTED BANDS**Fabric with permanent properties 200 g/m²

- Shirt collar. Very lightweight fabric that increases comfort and reduces thermal stress.
 - Pictograms and certified standards, engraved by heat transfer in retroreflective silver.
 - Fabric properties resistant for 25 washes.
- COMPOSITION:** 60% Modacrylic, 38% cotton and 2% polyamide.
Seams with meta-aramid thread.

CE EN ISO 13688

Cat.III

Units Box: 25

Min Order: 1 unit

SIZES: XS to 5XL

NEW

EN 61482-2
(APC1)EN ISO 11612
(A1+A2,B1,C1,F1)

EN 1149-5

EN 17353
Type B3Segmented
Bands

**988VMIAM azul marino****FLAME RETARDANT/ANTI-STATIC VEST**Treated cotton 260 g/m²

- Protection against heat and flame, welding and antistatic.
- With 100% polyester wadding padding and cotton inner lining.
- Cotton fabric treated with resistance of flame-retardant properties for 50 washes.
- Pictograms and certified standards, engraved on the back pocket flap for occupational risks in the metallurgical, petrochemical and naval industries.

COMPOSITION:

98% treated cotton / 2% polyamide. Seams with meta-aramid thread.

CE EN ISO 13688

Cat.II

Units Box: 5

Min Order: 1 unit

SIZES: XS to 4XL

EN ISO 11611
(A1+A2, CLASE 2)EN ISO 11612
(A1+A2,B2,C2,F3)

EN 1149-5

ELECTRICALLY INSULATING HELMETS / FOR HEIGHT

STEELPRO
SAFETY®
**2088CEVR red****2088CEVAM navy blue****2088CEVBL white****2088CEVNE black****Electrically insulating ABS helmet. Suitable for working at heights. MOD. EOLO VENTILATED**

- Made of PC/ ABS, hard, less, chemical and impact resistance.
- Roller type roulette closure.
- Short visor for work at a height. Inner textile harness with sweat-band, 6 anchor points.
- Standard slot (3 mm) for attaching hearing protection earmuffs.
- Forked chinstrap with silicone chin guard. 2088BCM.N.

Optional resistances overcome: Low temperatures (-30°C).

Activities where, in addition to protection for the industry (falling objects), it is necessary to isolate the user's head from possible low-voltage electrical contacts. Specially designed for work at a height.

Units Box: 20

Min Order: 1 unit

CE EN 397

Protective helmets for industry

SIZES: One size adjustable (53/63 cm)



Inner harness





www.marcapl.com